HOLLON

SAFE COMPANY

2023-2024 GUN SAFES

TABLE OF CONTENTS

DO YOU KNOW FIREPROOFING?	3
DOMINION SERIES	4
HUNTER SERIES	6
CRESCENT SHIELD	8
BLACK HAWK SERIES GUN SAFES	10
REPUBLIC GUN SAFES	12
PISTOL SAFES	15

ASSEMBLED IN U.S.A.

With American and Global Parts

FREE SHIPPING*

*ON QUALIFYING ORDERS!

DO YOU KNOW FIREPROOFING?

The fire department tells us that it is on average 20 minutes from the time the fire sparks until they are ready to spray water on the house. This is not because the fire department is slow. But instead it is due you and me discovering we have a fire and then alerting the fire department. It's even slower if we are not home. Then we must depend on the neighbor or someone passing by and seeing smoke and fire.

Once the fire department has arrived it takes on average 20 minutes to extinguish the fire. So a solid 40 minutes can go by and that is past the time of safes purchased in a big box retail store. This is also why Hollon Safe doesn't even offer a fire rating less than 45 minutes.

There are several types of material that are used for fireproofing in safes. High compression rated Concrete

composite is used on high security burglary safes. But beware the word "composite" is often used on all types safes these days. This material adds fireproofing and security to the safe at the same time.

Other materials are also used. Such as a light compression concrete or "plaster of Paris", different types of fire resistant foams, and for most gun safes fireboard is used. Regardless of which material is used always go for the most length of time in fire rating that you can afford.

None of us want a fire and none of are expecting our house to burn down. But if it does, it is better to be over prepared by an hour than 1 minute too short.

Did you know that a closet burns at a higher temperature (2000 degrees) then the house (1000)? This is due to the clothes in the closet.

DOMINION SERIES

Against Theft & Fire
LIFETIME WARRANTY
GUARANTEED

DOM-11

1400˚F 30min Fire protection

Drill resistant

ASSEMBLED IN U.S.A. With American and Global Parts

- 30 minute Fire Resistance.
- Choice of S&G Group 2 Dial or S&G UL Listed, Type 1 Electronic Lock.
- Deluxe deep grey interior liner.
- 4 Bolt Down Holes to secure to foundation.
- 1.5 inch chrome steel bolts.
- Drill Resistant Hard Plate.
- 12 gauge steel.

Height	Width	Deep	(Inches)
55	**17 3/8**	**16**	**Exterior**
53	15 1/2	11	**Interior**

Weight: **290 lbs** Cubic Feet: **5.23**

Holds: **11 Guns**

DOM-16

1400˚F 45min Fire protection

Drill resistant

ASSEMBLED IN U.S.A. With American and Global Parts

- 45 minute Fire Resistance.
- Choice of S&G Group 2 Dial or S&G UL Listed, Type 1 Electronic Lock.
- Deluxe deep grey interior liner.
- 4 Bolt Down Holes to secure to foundation.
- 1.5 inch chrome steel bolts.
- Drill Resistant Hard Plate.
- 12 gauge steel.

Height	Width	Deep	(Inches)
55	**24**	**18**	**Exterior**
53	22	12	**Interior**

Weight: **390 lbs** Cubic Feet: **8.10**

Holds: **16 Guns**

DOM-22

Height	Width	Deep	(Inches)
59	**30**	**24**	**Exterior**
55	26	18	**Interior**

Weight: **600 lbs** Cubic Feet: **17.75**

Holds: **22 Guns**

1400˚F 90min Fire protection

Drill resistant

ASSEMBLED IN U.S.A. With American and Global Parts

- 90 Minute Fire Resistance.
- 10 gauge steel thickness.
- 1.5 inch thick bolts.
- Intumescent Door Seal to seal out smoke and flames in case of fire.
- Deluxe Plush Interior.
- Choice of S&G Group 2 Dial or S&G UL Listed, Type 1 Electronic Lock.
- UL listed fire resistant electronic outlet with plugs and USB ports.
- Drill/Ballistic resistant hard plate.
- Motion LED Vista Light Kit included.

45min Fire protection

HGS-11E

Height	Width	Deep	(Inches)
55	**17 3/8**	**16**	**Exterior**
53	15 1/2	11	**Interior**

Weight: **290 lbs** Cubic Feet: **5.23**

Holds: **11 Guns**

HGS-16E

Height	Width	Deep	(Inches)
55	**24**	**18**	**Exterior**
53	22	12	**Interior**

Weight: **390 lbs** Cubic Feet: **8.10**

Holds: **16 Guns**

*NEW MODELS COMING SOON

HGS-6

HGS-8

1400˚F 45min Fire protection

Drill resistant

Adjustable shelves

ASSEMBLED IN U.S.A. With American and Global Parts

- 45 minute Fire Resistance.
- Choice of S&G Group 2 Dial or S&G UL Listed, Type 1 Electronic Lock.
- Deluxe deep grey interior liner.
- 4 Bolt Down Holes to secure to foundation.
- 1.25 inch chromesteel bolts.
- Drill Resistant Hard Plate.
- 12 gauge steel.

HUNTER SERIES

CRESCENT SHIELD

75min Fire protection

HOLLON SAFE

HOLLON
SAFE COMPANY
www.hollonsafe.com 1-888-455-2337

CRESCENT SHIELD

CS-12E

Height	Width	Deep	(Inches)
59	**22**	**16**	**Exterior**
55 1/2	19 1/4	9 1/2	**Interior**

Weight: **320 lbs** Cubic Feet: **9.92**

Holds: **12 Guns**

CS-24E

Height	Width	Deep	(Inches)
59	**30**	**21**	**Exterior**
55	26 1/4	14	**Interior**

Weight: **570 lbs** Cubic Feet: **11.7**

Holds: **24 Guns**

CS-36E

Height	Width	Deep	(Inches)
59	**36**	**26**	**Exterior**
55	32 1/4	19	**Interior**

Weight: **720 lbs** Cubic Feet: **19.5**

Holds: **36 Guns**

*NEW MODEL COMING SOON

CS-45E

1400˚F 75min Fire protection

1.5 bolts

Drill resistant

Adjustable shelves

ASSEMBLED IN U.S.A. With American and Global Parts

- 75 minute Fire Resistance.
- 12 gauge steel.
- Now with 1.5" Bolts.
- Deluxe deep grey Interior liner.
- 4 Bolt Down Holes to secure to foundation.
- Choice of S&G Group 2 Dial Lock or S&G UL Listed, Type 1 Rated Electronic Lock.
- Drill Resistant Hard Plate.
- FREE Light Kit Upgrade.
- Never Sag Vault Hinge.

BHS-16E

Height	Width	Deep	(Inches)
59	**24**	**18**	**Exterior**
55 5/8	20	14	**Interior**

Weight: **484 lbs** Cubic Feet: **8.3**

Holds: **16 Guns**

BHS-22E

Height	Width	Deep	(Inches)
59	**30**	**24**	**Exterior**
55	26	18	**Interior**

Weight: **600 lbs** Cubic Feet: **17.75**

Holds: **22 Guns**

BHS-39E

Height	Width	Deep	(Inches)
59	**39**	**24**	**Exterior**
55	35	16	**Interior**

Weight: **750 lbs** Cubic Feet: **17.82**

Holds: **39 Guns**

BHS-45E

Height	Width	Deep	(Inches)
72	**45**	**28**	**Exterior**
68 5/8	41	21	**Interior**

Weight: **1050 lbs** Cubic Feet: **33**

Holds: **45 Guns**

1400˚F 90min Fire protection

1.5 bolts

Drill resistant

Adjustable shelves

ASSEMBLED IN U.S.A. With American and Global Parts

- 90 Minute Fire Resistance.
- 10 gauge steel thickness.
- 14 Massive 1.5 inch thick bolts.
- Intumescent Door Seal to seal out smoke and flames in case of fire.
- Life time warranty against fire and burglary.
- Black Chrome Hardware.
- UL Listed Military Grade EMP Grade I Electronic Lock.
- Deluxe Plush Interior.
- UL listed fire resistant electronic outlet with plugs and USB ports.
- Light Kit Upgrade included.
- Drill/Ballistic resistant hard plate.
- Heavy duty canvas Pocket door organizer.
- Fully adjustable gun racking interior.
- Never Sag Vault Hinge.

Against Theft & Fire
LIFETIME WARRANTY
GUARANTEED

Hollon
BLACK HAWK

REPUBLIC GUN SAFES

And to the Republic for which it stands, one nation under God

120min Fire protection

NOW AVAILABLE IN WHITE

Against Theft & Fire
LIFETIME WARRANTY
GUARANTEED

HOLLON
SAFE COMPANY
www.hollonsafe.com 1-888-455-2337

REPUBLIC GUN SAFES

And to the Republic for which it stands, one nation under God

RG-22

Height	Width	Deep	(Inches)
59	**30**	**24**	**Exterior**
56	26	16	**Interior**

Weight: **800 lbs** Cubic Feet: **16.93**

Holds: **22 Guns**

RG-39

Height	Width	Deep	(Inches)
59	**39**	**24**	**Exterior**
56	34 1/4	15	**Interior**

Weight: **925 lbs** Cubic Feet: **22.5**

Holds: **39 Guns**

RG-42

Height	Width	Deep	(Inches)
72	**42**	**28**	**Exterior**
68 3/4	37 1/4	19	**Interior**

Weight: **1250 lbs** Cubic Feet: **28**

Holds: **42 Guns**

ANTI-PRY U CHANNEL

U SHAPE ANTI-PRY BOLT PROTECTOR

COMPARE INDUSTRY AND HOLLON BOLT SIZES

1400˚F 120min Fire protection

SECURITY UL LISTED

1.5 bolts

Drill resistant

Adjustable shelves

ASSEMBLED IN U.S.A. With American and Global Parts

- Torch Resistant Fire Rated for 120 mins of Protection at 1400°F.
- Far Exceeds California Department of Justice Regulatory Standards for Residential Security Containers.
- (14) 1 1/2» Active Chrome Plated Solid Steel Live Locking Bolts.
- (4) Way Active Locking bolts with Coverage on All 4 Sides of the Door.
- Drill/Balistic Resistant Armored Hard Plate to Protect Lock.
- Active Spring Loaded Re-Locker to Prevent Punch Attacks.
- 1/4 solid steel plate door for pry bar Resistance.
- Heat Activated Expandable Intumescent Door Seal Designed to Seal out Smoke and Water.
- 3 gauge steel door and 10 gauge steel body.
- (4) Pre-Drilled Anchor Holes (mounting hardware not included).
- Extra Durable Textured Finishes.
- Upgrade Chrome Plated Package.
- (1) Full Lenght Adjustable/Removable Shelf Reinforced with Steel Beams for Maximum Weight Capacity.
- Top Shelf Designed to Accomodate Long Guns.
- Ultra Plush Fully Adjustable Interior Racking.
- (3) Small Adjustable/Removable Shelves.
- Removable Gun Rack.
- Newly Designed Pocket Door Organizer.
- UL listed fire resistant electronic outlet with plugs and USB port included.
- Light Kit Upgrade Included.

REPUBLIC GUN SAFES

And to the Republic for which it stands, one nation under God

120min Fire protection

Against Theft & Fire — LIFETIME WARRANTY — GUARANTEED

RG-22

Height	Width	Deep	(Inches)
59	**30**	**24**	**Exterior**
56	26	16	**Interior**

Weight: **800 lbs** Cubic Feet: **16.93**

Holds: **22 Guns**

RG-39

Height	Width	Deep	(Inches)
59	**39**	**24**	**Exterior**
56	34 1/4	15	**Interior**

Weight: **925 lbs** Cubic Feet: **22.5**

Holds: **39 Guns**

RG-42

Height	Width	Deep	(Inches)
72	**42**	**28**	**Exterior**
68 3/4	37 1/4	19	**Interior**

Weight: **1250 lbs** Cubic Feet: **28**

Holds: **42 Guns**

ANTI-PRY U CHANNEL

U SHAPE ANTI-PRY BOLT PROTECTOR

COMPARE INDUSTRY AND HOLLON BOLT SIZES

1400˚F 120min Fire protection

SECURITY UL LISTED

1.5 bolts

Drill resistant

Adjustable shelves

ASSEMBLED IN U.S.A. With American and Global Parts

- Torch Resistant Fire Rated for 120 mins of Protection at 1400°F.
- Far Exceeds California Department of Justice Regulatory Standards for Residential Security Containers.
- (14) 1 1/2» Active Chrome Plated Solid Steel Live Locking Bolts.
- (4) Way Active Locking bolts with Coverage on All 4 Sides of the Door.
- Drill/Balistic Resistant Armored Hard Plate to Protect Lock.
- Active Spring Loaded Re-Locker to Prevent Punch Attacks.
- 1/4 solid steel plate door for pry bar Resistance.
- Heat Activated Expandable Intumescent Door Seal Designed to Seal out Smoke and Water.
- 3 gauge steel door and 10 gauge steel body.
- (4) Pre-Drilled Anchor Holes (mounting hardware not included).
- Extra Durable Textured Finishes.
- Upgrade Chrome Plated Package.
- (1) Full Lenght Adjustable/Removable Shelf Reinforced with Steel Beams for Maximum Weight Capacity.
- Top Shelf Designed to Accomodate Long Guns.
- Ultra Plush Fully Adjustable Interior Racking.
- (3) Small Adjustable/Removable Shelves.
- Removable Gun Rack.
- Newly Designed Pocket Door Organizer.
- UL listed fire resistant electronic outlet with plugs and USB port included.
- Light Kit Upgrade Included.

PB10

PB20

PBE-2

PB-BIO-2

Scan QR Code below for
More Information about
our Pistol Safes.

HOLLON

SAFE COMPANY

227 44th Street, Corpus Christi, TX 78405
Hours: Mon.-Fri., 8:30am-5:30pm CT
Phone: 888-455-2337
Fax: 866-408-7303

.Due to possible printing errors; please call or check website for exact measurements and new models